

TRANSLATION OF THE ABSTRACT OF CN2215547

TITLE: A simple tent

Present utility mode application a simple tent provided with a cloth layer having a ship shape, inner liner of the cloth layer provided with a closed wounded glass fibre reinforced plastic, a zipper door and a zipper window are provided on sides of the cloth layer. The tent has a simple structure and convenient for use and carry.

[19]中华人民共和国专利局

[11] 专利公告号 CN 2215547Y



[12] 实用新型专利说明书

[21] ZL 专利号 94221744.6

[51] Int. Cl.⁶

E04H 15/18

[40] 授权公告日 1995 年 12 月 20 日

[11] 申请号 94.9.6 [24] 申请日 95.11.5

[73] 专利权人 刘文奎

地址 325000 浙江省温州市鹿城区双屿乡

105 室

[72] 设计人 刘文奎

[11] 申请号 94221744.6

[74] 专利代理机构 温州市专利事务所

代理人 王 甦


说明书页数:

附图页数:

[54] 实用新型名称 简易帐篷

[57] 摘要

本实用新型涉及一种简易帐篷, 设有船形布罩, 布罩内衬设封闭的连续式玻璃钢丝, 船形布罩的侧面开设拉锁门和拉锁窗, 由于玻璃钢丝具有较好的抗拉力, 使得产品结构简单, 使用较为方便, 且便于拆卸携带。



(BJ) 第 1452 号

权 利 要 求 书

1、一种简易帐篷，其特征在于：设有船形面层（1），布层（1）内衬设封闭的缠绕式玻璃钢丝（2），船形布层（1）的侧面开设拉链门（3）和拉链窗（4）。

说 明 书

简 易 帐 篷

本实用新型涉及一种简易帐篷。

现有的折叠式或支撑式帐篷，结构复杂，使用繁琐不便，且在非使用状态时体积较大，不便于携带。

本实用新型的目的在于克服已有技术的缺陷，提供一种结构简单、使用方便，便于携带的简易帐篷。

本实用新型设有船形布层，布层内衬设封闭的缠绕式玻璃钢丝，船形布层的侧面开设拉链门和拉链窗。

以下结合实施例及附图进一步说明本实用新型。

图1：实施例1的结构视图；

图2：实施例2的结构视图。

本实施例设有船形布层1，布层1内衬设封闭的缠绕式玻璃钢丝2，船形布层1的侧面开设拉链门3和拉链窗4，船形布层1可设成全封闭的亦可在底部开口，后者可充当蚊帐，封闭的缠绕式玻璃钢丝2靠其弹力将布层1张开，由于玻璃钢丝2的弹性作用，在非使用时，可揉成一团且靠其弹力自束不会自动张开。实施例1、2分别为玻璃钢丝2与布层1的两种不同联接衬法。

本实用新型由于采用了玻璃钢丝作为布层的内衬，使得产品结构简单，使用极为方便，且便于拆卸携带。

说明书附图




图1




图2